AMENDMENTS TO THE CLAIMS

Please add or amend the claims to read as follows, and cancel without prejudice or disclaimer to resubmission in a divisional or continuation application claims indicated as cancelled:

1. **(Currently Amended)** A method comprising:

~~sending data packets of a recorded conversation to a subscriber, wherein a conversion~~ recording ~~is done~~ <u>data packets of a conversation</u> by alternating between a first <u>active</u> link and a second <u>active</u> link of a wireless communication system<u>; and to</u> ~~record a conversation.~~

<u>sending the recorded data packets of the recorded conversation to a subscriber.</u>

2. **(Currently Amended)** The method of claim 1, ~~wherein the conversation recording comprises~~ <u>comprising</u>:

~~decoding a recorded media content of the recorded conversation by alternating between a first media decoder to a second media decoder; and~~

storing the <u>recorded</u> data packets ~~comprising the recorded media content~~ of the recorded conversation in a storage medium.

3. **(Currently Amended)** The method of claim ~~2, further~~ <u>1,</u> comprising:

<u>decoding a recorded media content of the recorded data packets by alternately decoding said packets with first and second media decoders; and</u>

generating a file that includes <u>decoded media content of</u> the data packets ~~comprising the recorded media content of~~ <u>corresponding to</u> the recorded conversation; and

storing the file at a secured location having a controlled access.

4. **(Currently Amended)** The method of claim 3<u>,</u> ~~further~~ comprising:

receiving a command for sending the file via a global network to a computer.

5. **(Currently Amended)** The method of claim 3 1, comprising:

receiving a command for sending the file recorded conversation to the a remote station via the wireless communication system; and

generating the file by decoding the stored recorded data packets by alternating between the a first media decoder to the and a second media decoder; and

combining the decoded packets to generate a file that includes the recorded media content of the conversation.

6. **(Currently Amended)** A wireless communication system comprising:

a server comprising first and second media recorders to record a conversation by alternately recording data packets comprising of a media content of the conversation received from a first active link and a second active link of a conversation the wireless communication system, respectively, a controller to alternate by alternating between the first link to and the second link, and a storage medium to store storing the recorded data packets at a storage medium; and

a remote station to send a command to receive the recorded data packets of the conversation.

7. **(Currently Amended)** The system of claim 6, wherein the server comprises:

a file generator to generate a file which includes a recorded media content of the first link and the second link by alternating between a first media decoder to and a second media decoder and combining the decoded media content from the first and second media decoders to the file; and

a secured storage location having a controlled accesses access to store the file.

8. **(Original)** The system of claim 7, wherein the secured storage location is a media mailbox.

9. (**Currently Amended**)   The system of claim 8 further 7, comprising:

a gateway to connect the wireless communication system to a global network; and

a computer operably coupled to the global network to play the file via the global network by alternating between alternately decoding with the first media decoder to and the second media decoder.

10. (**Original**) The system of claim 6, wherein the remote station is a personal communication assistant (PCA).

11. (**Currently Amended**)   An apparatus comprising:

first and second a media recorders to record a conversation by alternately recording data packets comprising of a media content of the conversation received from a first active link and a second active link of a conversation wireless communication system, respectively; by alternating between the links;

a controller to alternate between the first link and the second link;

a storage medium to store the recorded data packets; and

a first and a second media decoders to decode a the recorded media content of the conversation.

12. (**Currently Amended**)   The apparatus of claim 11, further comprising:

a file generator to generate a file by combining a the decoded media content from data of the recorded data packets from the media decoders; and

a secured storage location having a controlled accesses access to store the file.

13. (**Original**) The apparatus of claim 12, wherein the secured storage location is a media mailbox.

14. **(Currently Amended)**   A method comprising:

sending a command by a remote station to record at a server of a wireless communication system a conversation of the remote station with other remote stations by alternately recording data packets of media content of the conversation received from a first active link and a second active link of the wireless communication system, using ~~alternating between~~ a first media recorder ~~to~~ and a second media ~~decoder~~ recorder, respectively; and

storing recorded data packets of the recorded conversation at a storage medium of the server ~~data packets comprising a media content of the conversation~~.

15. **(Currently Amended)**   The method of claim 14, ~~further~~ comprising:

sending a command by the remote station to the server to play a recorded media content of the conversation at the remote station;

decoding at the server the recorded media content by alternating between ~~the~~ a first media decoder ~~to the~~ and a second media decoder; and

transmitting by a base station a modulated decoded media content of the conversation to a commanding remote station.

16. **(Original)** The method of claim 15, further comprising:

providing to a subscriber of a recording service a media mailbox to store the recorded media content of the conversation; and

retrieving by the remote station a recorded conversation by accessing the media mailbox.

17. **(Currently Amended)**   An article comprising a storage medium having stored thereon instructions, that, when executed by a computing platform, ~~results~~ result in:

~~sending data packets of a recorded conversation to a subscriber, wherein a conversion~~ recording ~~is done~~ data packets of a conversation by alternating between a first active link and a second active link of a wireless communication system; and ~~to record a conversation.~~

sending the recorded data packets of the recorded conversation to a subscriber.

18. **(Currently Amended)** The article of claim 17, wherein the instructions result in:

decoding a recorded media content <u>of the recorded data packets</u> by alternating between a first media decoder and ~~to~~ a second media decoder; and

sending ~~a~~ <u>the</u> decoded media content of the recorded conversation to a subscriber ~~which~~ <u>that</u> is an originator of the conversation recording.

19. **(Currently Amended)** The article of claim 18, wherein the instructions result in:

generating a file which includes <u>the</u> ~~data packets comprising the recorded~~ <u>decoded</u> media content of the conversation; and

storing the file at a secured location having a controlled access.

20. **(Currently Amended)** The article of claim 19, wherein the instructions result in:

receiving a command for sending the file via a global network to a computer; and

storing the data packets ~~comprising~~ <u>of</u> the recorded ~~media content of the~~ conversation at a storage medium.